

## DECLARATION OF PERFORMANCE

No. 6/2023

1. Unique identification code of the product t-type: **Aluplast IDEAL 4000**
2. Intended use or uses of the construction product: **Communication at home and commercial locations**
3. Producer: **Monolit Michał Godlewski**,  
ul. Strzelnicza 12,  
18-300 Zambrów.
4. Authorised representative: **not applicable**
5. System or systems of assessment and verification of the constancy of performance: **system 3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**  
Notified body:  
**ift Rosenheim; notification number: 0757,**  
**LTB Dąbrowa Górnicza; notification number: 1827**  
**Mobilne Laboratorium Techniki Budowlanej; notification number: 1054**  
**PfB; notification number: 1644**  
**ITB Warszawa; notification number: 023**
7. Declared performance:

Main characteristics	Performance		
Air permeability	Class 4		
Water tightness	Class 4A		
Wind load resistance	Class B2		
Thermal transmittance of windows/ balcony doors, (as calculated, EN ISO 10077-1)	U <sub>w</sub> – see Annex 1 of declaration of performance		
Hazardous substances content	npd		
Load-bearing capacity of safety devices	350 N		
*Acoustic properties R <sub>w</sub> (C; C <sub>tr</sub> ):			
area (m <sup>2</sup> ): a ≤ 2,7	2,7 < a ≤ 3,6	3,6 < a ≤ 4,6	a > 4,6
(dB) R <sub>w</sub> = 34 (-1; -4)	R <sub>w</sub> = 33 (-1; -4)	R <sub>w</sub> = 32 (-1; -4)	R <sub>w</sub> = 31 (-1; -4)
Properties related to radiation			
Glazing 4/16/4	Glazing 4/14/4/12/4		
g = 63%	g = 53 %		
L <sub>t</sub> = 81%	L <sub>t</sub> = 75 %		

\* The R<sub>w</sub> value is determined for a window with a glazing value of R<sub>w</sub>(C;C<sub>tr</sub>) IGU=32(-1;-4)dB

8. Appropriate Technical Documentation or Specific Technical Documentation:  
**not applicable**

The performance of the product identified above is consistent with the set of declared performance. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:  
Bartosz Płotczyk, in Zambrów day, 02.01.2023


**"MONOLIT"**  
Michał Godlewski  
ul. Strzelnicza 12  
18-300 Zambrów, tel. 723 154 22 65  
P: 723-154-22-65 Regon: 200164221

**ANNEX No. 6/2023 TO THE DECLARATION OF PERFORMANCE**

Uw value determined for the reference window 1,23m x 1,48m			
Ug W/m <sup>2</sup> K	Inter- pane spacer		
	Standard $\Psi = 0,07\text{W/mK}$	Warm $\Psi = 0,04\text{W/mK}$	Warm $\Psi = 0,032\text{W/mK}$
1,1	1,3	1,3	1,2
1,0	1,3	1,2	1,2
0,9	1,2	1,1	1,1
0,8	1,1	1,1	1,0
0,7	1,1	0,99	0,97
0,6	1,0	0,92	0,99
0,5	0,93	0,86	0,84

Signed on behalf of the manufacturer by:

Bartosz Płotczyk

  
Zambrów day, 02.01.2023

**"MONOLIT"**

Michał Godlewski  
ul. Strzełnicza 12

18-300 Zambrów, tel. 509 149 757  
NIP: 723-154-22-65 Regon: 200164221