

DECLARATION OF PERFORMANCE
No. 10/2023

1. Unique identification code of the product t-type: **Aluplast Intertec 85**
2. Intended use or uses of the construction product: **Communication at home and commercial locations**
3. Producer: **Monolit Michał Godlewski**,
ul. Strzelnicza 12,
18-300 Zambrów.
4. Authorised representative: **not applicable**
5. System or systems of assessment and verification of the constancy of performance: **system 3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**
Notified body:
ift Rosenheim; notification number: 0757,
LTB Dąbrowa Górnicza; notification number: 1827
Mobilne Laboratorium Techniki Budowlanej; notification number: 1054
PfB; notification number: 1644
ITB Warszawa; notification number: 023
7. Declared performance:

| Main characteristics | Performance | | |
|---|--|------------------|------------------|
| Air permeability | Class 4 | | |
| Water tightness | Class 4A | | |
| Wind load resistance | Class B2 | | |
| Thermal transmittance of windows/ balcony doors, (as calculated, EN ISO 10077-1) | Uw – see Annex 1 of declaration of performance | | |
| Hazardous substances content | npd | | |
| Load-bearing capacity of safety devices | 350 N | | |
| *Acoustic properties Rw (C; Ctr): | | | |
| area (m ²): a≤2,7 | 2,7<a≤3,6 | 3,6<a≤4,6 | a>4,6 |
| (dB) Rw = 34 (-1; -4) | Rw = 33 (-1; -4) | Rw = 32 (-1; -4) | Rw = 31 (-1; -4) |
| Properties related to radiation | | | |
| Glazing 4/18/4/18/4 | | | |
| g = 53 % | | | |
| Lt = 75 % | | | |

* The Rw value is determined for a window with a glazing value of Rw(C;Ctr) IGU=32(-1;-4)dB

8. Appropriate Technical Documentation or Specific Technical Documentation:
not applicable

The performance of the product identified above is consistent with the set of declared performance. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.


Signed on behalf of the manufacturer by:
Bartosz Płotczyk, in Zambrów day, 02.01.2023

"MONOLIT"
Michał Godlewski
ul. Strzelnicza 12
18-300 Zambrów, tel. 509 149 757
NIP: 723-154-22-65 Regon: 200164221

ANNEX No. 10/2023 TO THE DECLARATION OF PERFORMANCE

| U _w value determined for the reference window 1,23m x 1,48m | | | |
|--|--------------------------|----------------------|-----------------------|
| U _g W/m ² K | Inter- pane spacer | | |
| | Standard Ψ = 0,07W/mK | Warm Ψ = 0,04W/mK | Warm Ψ = 0,032W/mK |
| 1,1 | 1,3 | 1,3 | 1,2 |
| 1,0 | 1,3 | 1,2 | 1,2 |
| 0,9 | 1,2 | 1,1 | 1,1 |
| 0,8 | 1,1 | 1,1 | 1,0 |
| 0,7 | 1,1 | 0,99 | 0,97 |
| 0,6 | 1,0 | 0,92 | 0,99 |
| 0,5 | 0,93 | 0,86 | 0,84 |

Signed on behalf of the manufacturer by:
Bartosz Płotczyk


.....
Zambrów day, 02.01.2023

"MONOLIT"

Michał Godlewski
ul. Strzelnicza 12

18-300 Zambrów, tel. 509 149 757
*P: 723-154-22-65 Regon: 200164221