

DECLARATION OF PERFORMANCE

No. 5/2023

1. Unique identification code of the product t-type: **REHAU Synego MD**
2. Intended use or uses of the construction product: **Communication at home and commercial locations**
3. Producer: **Monolit Michał Godlewski**,
ul. Strzelnicza 12,
18-300 Zambrów.
4. Authorised representative: **not applicable**
5. System or systems of assessment and verification of the constancy of performance: **system 3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**
Notified body:
ift Rosenheim; notification number: 0757
7. Declared performance:


Main characteristics	Performance		
Air permeability	Class 3		
Water tightness	Class 5A		
Wind load resistance	Class B2		
Thermal transmittance of windows/ balcony doors, (as calculated, EN ISO 10077-1)	Uw – see Annex 1 of declaration of performance		
Hazardous substances content	npd		
Load-bearing capacity of safety devices	350 N		
*Acoustic properties Rw (C; Ctr):			
area (m ²): a≤2,7	2,7<a≤3,6	3,6<a≤4,6	a>4,6
(dB) Rw = 34 (-1; -4)	Rw = 33 (-1; -4)	Rw = 32 (-1; -4)	Rw = 31 (-1; -4)
Properties related to radiation			
Glazing 4/18/4/18/4			
g = 53 %			
Lt = 75 %			

* The Rw value is determined for a window with a glazing value of Rw(C;Ctr) IGU=32(-1;-4)dB

8. Appropriate Technical Documentation or Specific Technical Documentation:
not applicable

The performance of the product identified above is consistent with the set of declared performance. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:
Bartosz Płotczyk, in Zambrów day, 02.01.2023



"MONOLIT"
Michał Godlewski
ul. Strzelnicza 12
18-300 Zambrów, tel. 509 149 757
723-154-22-65 Regon: 200164221

ANNEX No. 5/2023 TO THE DECLARATION OF PERFORMANCE

Uw value determined for the reference window 1,23m x 1,48m		
Ug W/m ² K	Inter- pane spacer	
	Standard $\Psi = 0,07\text{W/mK}$	Warm $\Psi = 0,04\text{W/mK}$
0,9	1,13	1,04
0,8	1,06	0,97
0,7	1,00	0,91
0,6	0,93	0,84
0,5	0,86	0,77

Signed on behalf of the manufacturer by:

Bartosz Płotczyk



Zambrów day 02.01.2023

MONOLIT

Michał Godlewski
ul. Strzelnicza 12

18-300 Zambrów, tel. 509 149 757
P: 723-154-22-65 Regon: 200164221