

DECLARATION OF PERFORMANCE

No. 4/2023

1. Unique identification code of the product t-type: **WITAL Prestige Doors**
2. Intended use or uses of the construction product: **Communication at home and commercial locations**
3. Producer: **Monolit Michał Godlewski**,
ul. Strzelnicza 12,
18-300 Zambrów.
4. Authorised representative: **not applicable**
5. System or systems of assessment and verification of the constancy of performance: **system 3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**
Notified body:
LTB Dąbrowa Górnicza; notification number: 1827
7. Declared performance:


| Main characteristics | Performance |
|---|-------------------------------------|
| Air permeability | Class 4 |
| Water tightness | Class 1A |
| Wind load resistance | Class C2 |
| Thermal transmittance of windows/ balcony doors, (as calculated, EN ISO 10077-1) | $U_w \leq 1,3$ (W/m ² K) |
| Hazardous substances content | npd |
| Load-bearing capacity of safety devices | 350 N |
| *Acoustic properties R_w (C; Ctr): | |
| area (m ²): $a \leq 2,7$ | $2,7 < a \leq 3,6$ |
| (dB) $R_w = 34$ (-1; -4) | $R_w = 33$ (-1; -4) |
| | $3,6 < a \leq 4,6$ |
| | $a > 4,6$ |
| | $R_w = 32$ (-1; -4) |
| | $R_w = 31$ (-1; -4) |
| Properties related to radiation | |
| Glazing 4/16/4 | Glazing 4/14/4/14/4 |
| G = 63 % | g = 53 % |
| Lt = 81 % | Lt = 75 % |

* The R_w value is determined for a window with a glazing value of $R_w(C;Ctr)$ IGU=32(-1;-4)dB

8. Appropriate Technical Documentation or Specific Technical Documentation:
not applicable

The performance of the product identified above is consistent with the set of declared performance. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:
Bartosz Płotczyk, in Zambrów day, 02.01.2023


MONOLIT
 Michał Godlewski
 ul. Strzelnicza 12
 18-300 Zambrów, tel. 509 149 757
 NIP: 723-154-22-65 Regon: 200164227